

CLAIMS

WHAT IS CLAIMED IS:

- 1 1. A method of selectively compressing data packets comprising:
2 bypassing a compression process responsive to detecting a first marker in
3 the data packets; and
4 resuming the compression process responsive to detecting a second
5 marker in the data packets.
- 1 2. The method of claim 1 wherein the first marker indicates that data
2 subsequent to the first marker is compressed.
- 1 3. The method of claim 2 wherein the second marker indicates that data
2 previous to the second marker is compressed.
- 1 4. The method of claim 3 wherein the first marker is a predetermined string of
2 data.
- 1 5. The method of claim 4 wherein the first marker is a predetermined text
2 string of data.

1 6. The method of claim 5 wherein the compression process compresses the
2 data packets prior to sending the data packets over a network.

1 7. The method of claim 6 further comprising:
2 encrypting the data packets prior to sending the data packets over the
3 network.

1 8. The method of claim 6 further comprising:
2 resuming the compression process after a timeout occurs.

1 9. A method of processing data packets comprising:
2 searching a first data packet for a first marker that indicates that subsequent
3 data is already compressed;
4 forwarding the first data packet without trying to re-compress it, if the first
5 marker was found; and
6 compressing and forwarding the first data packet, if the first marker was not
7 found.

1 10. The method of claim 9, wherein searching the first data packet for the first
2 marker is performed by looking for a predetermined text string in the first data
3 packet.

1 11. The method of claim 9 further comprising:
2 forwarding one or more subsequent data packets without trying to re-
3 compress them, if the first marker was found; and
4 compressing and forwarding the one or more subsequent data packets, if the
5 first marker was not found.

1 12. The method of claim 11, further comprising:
2 searching for a second marker that indicates that data following the
3 second marker is not compressed; and
4 compressing and forwarding a second set of one or more subsequent data
5 packets after finding the second marker, wherein each of the second
6 set of one or more subsequent data packets are searched for the first
7 marker.

1 13. The method of claim 12, wherein searching for the second marker is
2 performed by looking for a second predetermined text string.

1 14. A method of selectively compressing data packets comprising:
2 searching a data packet for a first string of data;
3 bypassing a compression process responsive to detecting the first string
4 of data;
5 searching for a second string of data; and
6 resuming the compression process responsive to detecting the second
7 string of data.

1 15. The method of claim 14, wherein a string search engine is used to search
2 the data packet for the first string of data.

1 16. The method of claim 14, wherein a string search engine of a network
2 processor is used to search the data packet for the first string of data.

1 17. The method of claim 14 further comprising:
2 searching a subsequent data packet for a third string of data;
3 bypassing the compression process responsive to detecting the third
4 string of data;
5 searching for a fourth string of data; and
6 resuming the compression process responsive to detecting the fourth
7 string of data.

1 18. The method of claim 14 further comprising:
2 resuming the compression process responsive to a timeout event.

1 19. The method of claim 14 further comprising:
2 testing whether a current data packet is compressed responsive to a
3 timeout event.

1 20. An article comprising a computer-accessible medium which stores computer-
2 executable instructions, the instructions causing a computer to:

3 search a data packet for a first string of data;

4 bypass a compression process responsive to detecting the first string of data;

5 search for a second string of data; and

6 resume the compression process responsive to detecting the second string of
7 data.

1 21. The article of claim 20, the article further comprises instructions to:

2 search a subsequent data packet for a third string of data;

3 bypass the compression process responsive to detecting the third string of
4 data;

5 search for a fourth string of data; and

6 resume the compression process responsive to detecting the fourth string of
7 data.

1 22. The article of claim 20, wherein the compression process compresses data
2 packets prior to the data packets being forwarded across a network.

1 23. The article of claim 22, wherein the data packets are encrypted before being
2 forwarded across the network.

1